INSTALLATION RESTORATION PROGRAM

FINAL INSTALLATION RESTORATION PROGRAM DECISION DOCUMENT - SITE 15

ALPENA COMBAT READINESS TRAINING CENTER
MICHIGAN AIR NATIONAL GUARD
ALPENA COUNTY REGIONAL AIRPORT
ALPENA, MICHIGAN



HAZARDOUS WASTE REMEDIAL ACTIONS PROGRAM Environmental Restoration and Waste Management Programs

Oak Ridge, Tennessee 37831-7606
managed by LOCKHEED MARTIN ENERGY SYSTEMS, INC.
for the U.S. DEPARTMENT OF ENERGY under contract DE-AC05-840R21400

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headdquarters Services, Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Artington, 24, 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, 20, 20503.

I. AGENCY USE ONLY (Leave blank)	2. REPORT DATE	3. REPORT TYPE AN	D DATES COVERED
	May 1996	Final Decision Document	
I. TITLE AND SUBTITLE			5. FUNDING NUMBERS
Final Installation Restoration Combat Readiness Training (rument Site 15, Alpo	na
	enter Alpena Wi		
AUTHOR(S)			
PERFORMING ORGANIZATION NAME	S) AND ADDRESS(ES)	·	8. PERFORMING ORGANIZATION REPORT NUMBER
EARTH TECH		•	
Oak Ridge TN		•	en e
REPORT DOC	UNENTATION O	A 44	form Approved ONE No COLLEGE
SPONSORING MONITORING AGENCY	NAME(S) AND ADDRESS(ES	Denvis of the American	10. SPONSORING/MONITORING
Hazardous Waste Remedial A	ctions Program	ratorial or construction of grant and state of the state	AGENCY REPORT NUMBER
Martin Marietta Energy Syst		T. Recent to b	and CATES COVERED.
Oak Ridge, TN 37831	e spirit in the construction of the constructi	And the second second of the contract of	TS FLADING MEMBERS
. SUPPLEMENTARY NOTES			DE LEATING BONKISS
. SOPPLEMENTARY NOTES			
nue anoi si comprenencia compre en accordo comprenencia de conferencia como en AUT SIGN	etandaktan i stirespetanovan orang salah arang salah international pelakan salah asalah asalah asalah salah sa	t for electrons of the entropy of the first transfer of the forest of the forest of the first of	The state of the s
a. DISTRIBUTION/AVAILABILITY STAT			
Approved for public release;	EMENI		12b. DISTRIBUTION CODE
distribution is unlimited	Piga jayvin ili astronomia karaktiin karaktiin karaktiin ka karaktiin ka karaktiin ka ka ka ka ka ka ka ka ka	erri ki ili silati ili silateka kilonoonin hee heen kijiisi ki geegaasa kilonooni	ESPERIORANIA ORGANIZATION
			SUSCEED NOWERE
. ABSTRACT (Maximum 200 words)		in the second se	Forms Hoperswick
This Decision Document (DD) Alpena Combat Readiness Tr			
그리는 이 흥분 학교에 있는 사람들은 그는 회사가 있는 그렇게 하는 사람들이 함께 되어 함께 하는			ard's rational for selecting the
no further action alternative.		the grant two courses because the co	
 Months of the control o	Section 1994 (1994) Section 1995	in the state of the second of	COMPANY AND CONTRACTOR
Committee of the Commit	Removaling the second of the s		S SCHOOLS NOW 155
nakan mengengan mengengan pangan pangan Bilanggan pangan pan	ordendas das leaen i un en inclusion in outropio en actividado en la composição do como en como en como en com	the second section of the second section of the second section is the second section of the second section of the second section is the second section of the second section s	. 1 General and the control of the c
BURGAS)	ethologianski olikuparo (16. methologia) olikopolika (1. methologia) (2. methologia)	ki kan ami — Eshiriki tabir i kilindik sakatan gayrak i an kangiye.	
FORTHRUTION AVAILABILITY STAT	er og en	en e	I
		in the state of th	
TOTAL		The first of the second	
. SUBJECT TERMS			RUS CRUIN LAMBUR
	Andrewski, jourgagenskij et storijski pre ove	Land <u>Co</u> rnel Communication (Cornel Communication)	15. NUMBER OF PAGES
the contract of the contract o	ram; Air National Guai	rd; Remedial Investig	ation; Alpena 17
Installation Restoration Prog CRTC; Alpena MI	风险条件 医侧角虫 医心脏点		16. PRICE CODE

200

GENERAL INSTRUCTIONS FOR COMPLETING SF 298

The Report Documentation Page (RDP) is used in announcing and cataloging reports. It is important that this information be consistent with the rest of the report, particularly the cover and title page. Instructions for filling in each block of the form follow. It is important to stay within the lines to meet optical scanning requirements.

- Block 1. Agency Use Only (Leave blank).
- Block 2. Report Date. Full publication date including day, month, and year, if available (e.g. 1 Jan 88). Must cite at least the year.
- Block 3. Type of Report and Dates Covered. State whether report is interim, final, etc. If applicable, enter inclusive report dates (e.g. 10 Jun 87 30 Jun 88).
- Block 4. <u>Title and Subtitle</u>. A title is taken from the part of the report that provides the most meaningful and complete information. When a report is prepared in more than one volume, repeat the primary title, add volume number, and include subtitle for the specific volume. On classified documents enter the title classification in parentheses.
- Block 5. Funding Numbers. To include contract and grant numbers; may include program element number(s), project number(s), task number(s), and work unit number(s). Use the following labels:

C - Contract G - Grant PR - Project TA - Task

PE - Program Element WU - Work Unit Accession No.

- Block 6. <u>Author(s)</u>. Name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. If editor or compiler, this should follow the name(s).
- Block 7. <u>Performing Organization Name(s) and Address(es)</u>. Self-explanatory.
- Block 8. Performing Organization Report Number. Enter the unique alphanumeric report number(s) assigned by the organization performing the report.
- **Block 9.** Sponsoring/Monitoring Agency Name(s) and Address(es). Self-explanatory.
- **Block 10.** Sponsoring/Monitoring Agency Report Number. (If known)
- Block 11. <u>Supplementary Notes</u>. Enter information not included elsewhere such as: Prepared in cooperation with...; Trans. of...; To be published in.... When a report is revised, include a statement whether the new report supersedes or supplements the older report.

Block 12a. <u>Distribution/Availability Statement</u>. Denotes public availability or limitations. Cite any availability to the public. Enter additional limitations or special markings in all capitals (e.g. NOFORN, REL, ITAR).

DOD - See DoDD 5230.24, "Distribution Statements on Technical Documents."

DOE - See authorities.

NASA - See Handbook NHB 2200.2.

NTIS - Leave, blank.

Block 12b. <u>Distribution Code</u>.

DOD - Leave blank.

DOE - Enter DOE distribution categories from the Standard Distribution for Unclassified Scientific and Technical Reports.

NASA - Leave blank. NTIS - Leave blank.

- Block 13. <u>Abstract</u>. Include a brief (*Maximum* 200 words) factual summary of the most significant information contained in the report.
- Block 14. <u>Subject Terms</u>. Keywords or phrases identifying major subjects in the report.
- Block 15. <u>Number of Pages</u>. Enter the total number of pages.
- Block 16. <u>Price Code</u>. Enter appropriate price code (NTIS only).
- Blocks 17.-19. <u>Security Classifications</u>. Self-explanatory. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED). If form contains classified information, stamp classification on the top and bottom of the page.
- Block 20. <u>Limitation of Abstract</u>. This block must be completed to assign a limitation to the abstract. Enter either UL (unlimited) or SAR (same as report). An entry in this block is necessary if the abstract is to be limited. If blank, the abstract is assumed to be unlimited.

FINAL

INSTALLATION RESTORATION PROGRAM DECISION DOCUMENT - SITE 15

ALPENA COMBAT READINESS TRAINING CENTER MICHIGAN AIR NATIONAL GUARD ALPENA COUNTY REGIONAL AIRPORT ALPENA, MICHIGAN

Submitted to:

AIR NATIONAL GUARD READINESS CENTER
ANDREWS AFB, MARYLAND

Submitted by:

HAZARDOUS WASTE REMEDIAL ACTIONS PROGRAM LOCKHEED MARTIN ENERGY SYSTEMS, INC. Oak Ridge, Tennessee 37831

for the:

U.S. DEPARTMENT OF ENERGY

Prepared by:

EARTH TECH, Inc. Oak Ridge, Tennessee 37830

May 1996

TABLE OF CONTENTS Technical Document to Support No Further Action

Sect	ion Pa	age
LIST	OF FIGURES	ii
LIST	OF ACRONYMS	iii
1.0	INTRODUCTION 1.1 SITE LOCATION AND DESCRIPTION 1.2 SITE HISTORY AND ENFORCEMENT ACTIVITIES 1.3 COMMUNITY PARTICIPATION	1-1 1-4
2.0	CURRENT SITE STATUS 2.1 PHYSIOGRAPHY AND CLIMATOLOGY 2.2 GEOLOGY AND SOIL 2.3 HYDROGEOLOGY 2.4 SURFACE WATER 2.6 AIR 2.7 RECEPTORS	2-1 2-2 2-2 2-3 2-3
3.0	RISK ASSESSMENT	3-1
4.0	SELECTED ACTION: NO FURTHER ACTION	4-1
5.0	DECISION	5-1
6.0	BIBLIOGRAPHY	6-1

i

LIST OF FIGURES

<u>Figure</u> Pa				
1-1 IRP Site 15 - Oiled Roads Location Map	1-2			
	•			

LIST OF ACRONYMS

bgs below ground surface

cm/sec centimeters per second

CRTC Combat Readiness Training Center

CERCLA Comprehensive Environmental Response Compensation, and Liability Act

DD Decision Document

ft²/day square feet per day

HMTC Hazardous Materials Technical Center

IRP Installation Restoration Program

m²/day square meters per day

MDNR Michigan Department of Natural Resources

NOAA National Oceanic and Atmospheric Administration

PA Preliminary Assessment

1.0 INTRODUCTION


This Decision Document (DD) supports the no further action alternative for Site 15 - Oiled Roads at the Alpena Combat Readiness Training Center (CRTC) in Alpena, Michigan. The purpose of the DD is to summarize the existing data for the site and to describe the Air National Guard's rationale for selecting the no further action alternative. The objectives of the DD for Site 15 are:


- To briefly describe the location, history, and environmental setting of the Alpena CRTC, Site 15;
- To describe the current status of the site based on the Hazardous Materials
 Technical Center's (HMTC) 1985 site visit and EARTH TECH personnel
 observations of the roads during Site Investigation/Remedial Investigation field
 activities conducted in 1993; and
- To assess the risk to human health and the environment.


Data resulting from the Phase I Record Search and site visit, which culminated in the Preliminary Assessment (PA) Report by the HMTC (1985), and observations of road conditions and roadside vegetation during SI/RI field activities by The Earth Technology Corporation (EARTH TECH) personnel were used to derive and support the no action alternative for Site 15.

1.1 SITE LOCATION AND DESCRIPTION

Site 15 is comprised of previously or currently unpaved (i.e, dirt) roads on base property that may have been sprayed with oil to control dust (See Figure 1-1). A majority of the main roads have been paved for over 30 years. According to base personnel, primary roads previously sprayed with oil as a dust control measure include River Club Road, Disposal Road, and Range







1-2

Road. Additionally, parking lots and access roads adjacent to the following buildings were once oiled: 40, 601, 5, 402, 301, 302, and 52. According to base personnel the use of oil as a dust control measure ceased in 1983.

Adjacent Land Uses

The Alpena CRTC is surrounded by land used primarily for farming, forestry, and tourism. The Phelps Collins Airport is immediately adjacent to the base, as they share use of approximately 1,755 acres. The land adjacent to these dirt roads is primarily undeveloped grass-covered and forested areas. Portions of the roads are close to the shore of Lake Winyah. The lake is used for recreational activities.

Nearby Population

The Alpena CRTC is located in a rural area with both low population density and growth rates. The nearest residence to this site is located over two miles from the CRTC. Approximately 75 full-time employees are located on-base. There is no permanent housing. During the months of April through September, training sessions are held. These sessions last for two weeks during which time personnel are housed on-base.

The base is surrounded by forest, wetlands, and rivers. A considerable number of wildlife species are observed on-base. The U.S. Fish and Wildlife Service and the Michigan Department of Natural Resources (MDNR) (currently the Michigan Department of Environmental Quality) have reported that no threatened or endangered species reside within the boundaries of the CRTC (MDNR, 1994) (U.S. Fish and Wildlife Service, 1994). Wetlands are located adjacent to portions of the dirt road which runs near Lake Winyah.

Surface Water and Groundwater Resources

The Alpena CRTC is located within the Northwestern Lake Huron Water-Resources Subregion (Miller and Twenter, 1986). The southern shore of Lake Winyah, formed by a hydroelectric dam on the Thunder Bay River, borders the CRTC on the north. The south branch of the

Thunder Bay River borders the base on the west. From Lake Winyah, the Thunder Bay River flows southeast toward Lake Besser and on to Lake Huron. The water ways in the vicinity of the facility are primarily used for recreational purposes and as a water source. The city of Alpena gets its water supply from Lake Huron. Alpena Township and the CRTC purchase water from the city of Alpena. The water supply intake is located approximately 1.5 miles southwest of the mouth of the Thunder Bay River, approximately 11 miles downstream from the facility.

The hydrogeologic units of interest on the facility are the lacustrine sand (shallow aquifer), the Traverse Group Limestone, and the grey clay aquitard which locally occurs between the two aquifers. Hydrologically, the base is located in the recharge area of the shallow aquifer. The water table in the surficial aquifer is variable over the base, ranging from approximately 5 feet below ground surface (bgs) to approximately 25 to 30 feet bgs. Groundwater beneath the base flows northwest, suggesting a component of groundwater flows toward the Thunder Bay River.

1.2 SITE HISTORY AND ENFORCEMENT ACTIVITIES

History

Very little information is available on the activity of spraying the roads of the CRTC with oil. It was identified as a suspected method of waste engine oil disposal. Waste engine oils, used as road oil, were identified as being generated at the Aircraft Maintenance Shop, Aerospace Ground Equipment, Motor Pool, and Roads and Ground Shop. This practice may have occurred from the 1950s to 1983.

Site 15 was identified in the PA conducted by HMTC (1985). PA activities included a detailed review of pertinent installation records and on-site visits which included interviews with past and present employees. Because Site 15 was a non-point source and was considered to pose little or no environmental threat, the PA eliminated the site from the Hazard Assessment Rating Method and recommended no further action.

Regulatory Agency/Public Involvement

The PA dated July 1985 recommended no further action for Site 15 because the site was considered to pose little or no environmental threat. No further activities have occurred relative to determining the status of Site 15.

1.3 COMMUNITY PARTICIPATION

There has been no community involvement in the IRP investigation conducted at Site 15 (Oiled Roads) at the CRTC, Alpena, Michigan.

2.0 CURRENT SITE STATUS

There is no physical indication of past spraying activities on the dirt roads which comprise Site 15. The vegetation alongside the dirt roads appeared, from casual observation, to be healthy. No stained soil was observed within or adjacent to the roadway. The following summary of site characteristics includes a description of the environmental setting. No sampling has been performed.

2.1 PHYSIOGRAPHY AND CLIMATOLOGY

The Alpena CRTC is located in an area created by glacial activity, sinkhole (karst) development, and human activities. Glacial activity has resulted in the deposition of lake deposits consisting of sand and clay on a relatively flat surface. A large sinkhole, located northeast of Range Road, is a significant feature affecting the hydrology of the base (Figure 1-1). The general land surface elevations on base vary between a low of 672 ft above mean sea level to a high of 688 feet above mean sea level.

The climate is characterized as semi-maritime and is affected by the proximity of Lake Huron to the east, which modifies most weather extremes. Summers are warm and sunny while winters are cloudy and snow is common. The precipitation in the area is evenly distributed throughout the year. The mean annual precipitation for the 29-year period beginning in 1957 is 29.15 in. [National Office of Atmospheric Administration (NOAA), 1987]. The estimated mean annual lake evaporation rate for the area is 26 inches (NOAA, 1983). Net precipitation for the area is estimated at 3 in. for the time period of 1957 to 1986. The 1-year 24-hour rainfall event for the area is estimated to be 1.75 inches (NOAA, 1963).

2.2 GEOLOGY AND SOIL

The Alpena CRTC is located in the outcrop area of the lacustrine sand of northeast Michigan. The lacustrine sand is composed of quartz sand, pebbles, cobbles of limestone and rock fragments, and some lenses of reddish-brown clay. This unit varies in thickness from approximately 20 feet thick at the north end of the base near Lake Winyah, to approximately 60 feet thick at the southern end of the base. Lacustrine sand is underlain by the Devonian aged Traverse Group Limestone, which is described as a grey fossiliferous limestone, containing some chert (Black, 1983). In some locations this lacustrine sand directly overlies the limestone aquifer and in other locations is separated from the limestone aquifer by a grey clay aquitard.

No soil sampling was conducted because there is no specific potential contamination location. Visual observation detected no signs or stressed vegetation or stained soil.

2.3 HYDROGEOLOGY

Beneath the Alpena CRTC, groundwater occurs in both the lacustrine sand and limestone aquifers. A feature unique to the installation is the development of a large sinkhole in the north-central portion of the CRTC. Groundwater flow in the lacustrine aquifer generally moves towards the sinkhole, although in areas adjacent to the Thunder Bay River, groundwater flows toward the Thunder Bay River. Groundwater flow direction within the limestone aquifer is unknown. Hydraulic characteristics vary greatly across the base. The hydraulic conductivity in the Site 15 area varies from 7.91 x 10⁻³ to 9.42 x 10⁻² cm/sec. The transmissivity varies from an average low of 11 m²/day (118 ft²/day) to an average high of 579 m²/day (6,237 ft²/day).

No groundwater screening or sampling was conducted because the potential contamination source is a non-point source. Site conditions gave no indications where potential contaminants may be located.

2.4 SURFACE WATER

Few man-made surface drainage ditches or storm drains are located on-base because the majority of the soils have fair to very rapid infiltration rates. One storm drain is located within the motor pool area. A prominent ditch west of the motor pool area drains surface water runoff toward the Thunder Bay River.

Because no surface water bodies are included as part of Site 15, surface water and sediment sampling was not conducted.

2.6 AIR

No air monitoring has been conducted at Site 15 because no area of potential contamination was discovered.

2.7 RECEPTORS

Because a potential contamination source has not been identified, it was not necessary to identify potential receptors.

3.0 RISK ASSESSMENT

No sampling was conducted because no potential contamination point sources were identified. Also, there is little evidence that human health or the environment are at risk by Site 15 conditions. Therefore, no risk assessment has been conducted.

4.0 SELECTED ACTION: NO FURTHER ACTION

The risk to human health and the environment from the oiled dirt roads located at the CRTC, Site 15, is low. The no further action alternative is proposed because the contaminant source is a non-point source, the spraying activities occurred over 12 years ago, and no visual evidence is present to suggest environmental degradation has occurred. No evidence exists to suggest the groundwater, surface water, soil, or air are sufficiently contaminated to pose a threat to human health or the environment. Historical information and current site conditions indicate that no further action is warranted at Site 15.

5.0 DECISION

TECHNICAL DOCUMENT TO SUPPORT NO FURTHER ACTION DECLARATION

SITE NAME AND LOCATION

Installation Restoration Program Site Site 15 - Oiled Roads Alpena Combat Readiness Training Center (CRTC), Alpena, Michigan

STATEMENT OF BASIS

This decision is based on the results of the Installation Restoration Program (IRP) Phase I Records Search and Site Visit conducted at the Alpena CRTC (Hazardous Materials Technical Center, July 1985).

DESCRIPTION OF THE SELECTED REMEDY

Based on the current conditions at IRP Site 15, it has been determined that no significant risk or threat to public health or the environment exists. Therefore, no further action under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), as amended, is required.

DECLARATION

This Decision Document represents the selected action for this site developed in accordance with CERCLA, as amended by the Superfund Amendments and Reauthorization Act of 1986, and the National Contingency Plan. It also satisfies the requirements of the National Environmental Policy Act that apply to CERCLA response actions. It has been determined that the selected remedy of no further action is protective of human health and the environment, attains federal and state requirements that are applicable or relevant and appropriate, and is cost effective. The statutory preference for further treatment is not satisfied because no contamination has been found at the site, and the site thus poses no significant threat to human health of the environment, and treatment is, thus, no necessary.

Chief, Environmental Division

State Regulatory Agency Representative

MOEQ - ERD

Date

Concur/Nonconcur

Date

6.0 BIBLIOGRAPHY

- Black, T.J., 1983. Tectonics, Structure, and Karst in Northern Lower Michigan, Michigan Basin Geology Society 1983, Field Conference, Michigan Department of Natural Resources, Lansing, Michigan.
- Hazardous Materials Technical Center, 1985. "Installation Restoration Program Records Research, Phelps Collins Air National Guard Base, Alpena, Michigan;" June.
- Michigan Department of Natural Resources, 1994. Letter sent to the Alpena Combat Readiness Training Center, dated April 24.
- Miller, J.B., and F.R. Twenter, 1986. "Michigan Surface Water Resources," *National Water Summary Michigan*, U.S. Geological Survey Water Supply Paper 2300, U.S. Geological Survey, Lansing, Michigan.
- National Oceanic and Atmospheric Administration, 1963. 1962 Local Climatological Data, Alpena, Michigan, National Climatic Data Center, Asheville, North Carolina.
- National Oceanic and Atmospheric Administration, 1983. 1982 Local Climatological Data, Alpena, Michigan, National Climatic Data Center, Asheville, North Carolina.
- National Oceanic and Atmospheric Administration, 1987. 1986 Local Climatological Data, Alpena, Michigan, National Climatic Data Center, Asheville, North Carolina.
- The Earth Technology Corporation, 1991. Kick-off Meeting Regulatory Session, Scope of Work for Remedial Investigation at the Phelps Collins Air National Guard.
- U.S. Fish and Wildlife Service, 1994. Letter sent to the Alpena Combat Readiness Training Center, dated February 23.